

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S98	20	S84 and (thermal near5 (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:22
S85	17	S84 and (thermal near (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:22
S97	4	S95 and ((thermal temperature) near (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:15
S96	61	S95 and (thermal temperature near (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:15
S95	1498	318/810-811.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:15
S93	19	S91 and (thermal temperature near (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:15
S94	0	S91 and ((thermal temperature) near4 (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:14
S92	0	S91 and (thermal near (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:13
S91	421	318/808.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:13
S90	721	318/808	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:13

S89	81	S88 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:13
S80	45	S79 and (thermal near (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:13
S88	465	S84 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:09
S87	102	S86 and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:09
S86	183	S84 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:05
S84	567	702/33-34.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:04
S83	1	S82 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:03
S82	19	S79 and (variable adj3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:02
S81	13	S79 and (variable adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:02
S79	737	S78 and life adj3 (estimation prediction calculat\$3 measur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:02

S69	7	S68 and (variable adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:02
S63	0	S62 and (thermal near (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 17:02
S78	1596786	semi\$conductor semi adj3 conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:54
S77	37	S76 and life	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:54
S76	76	S75 and (thermal adj3 (stress strain))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:51
S75	1993	S72 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:50
S72	4292	S71 and (temperature thermal ((temperature thermal) adj3 (change variat\$%3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:49
S74	0	("2005/0071090").URPN.	USPAT	OR	ON	2005/11/13 16:48
S73	7	S72 and (life adj3 (estimation predict\$3 calculat\$3 determin\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:48
S71	12617	S70 and (control\$3 cpu (micro adj3 control\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:46
S61	44	S57 and (temperature thermal ((temperature thermal) adj3 (change variat\$%3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:46

S56	165	S55 and (control\$3 cpu (micro adj3 control\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:46
S70	13460	(variable adj frequency) AND (inverter (switch\$3 adj3 circuit) driver (driv\$4 adj3 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:45
S67	0	S53 and (variable adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:44
S54	229	S52 and variable adj frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:44
S68	1042	340/584.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:43
S53	613	340/590.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:43
S66	24	S61 not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:39
S65	20	S62 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:39
S62	23	S61 and (memory rom ram prom EPROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:35
S64	3	S62 and ((thermal near (stress strain)) stress strain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:25

S60	40	S57 and (temperature thermal ((temperature thermal) adj3 (change variat\$%3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:24
S59	18	S58 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:24
S58	40	S57 and (temperature thermal ((temperature thermal) adj3 (change variat\$%3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:24
S57	164	S56 and (amplif\$3 inverter converter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:22
S55	167	S54 and (inverter (switch\$3 adj circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 16:20
S3	35447	variable adj frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/13 15:51
S52	1024	318/807.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/13 15:50